



**CLAMP-300-S**

Cable hanger, non-insulated, bolt-on, for 3" coaxial cable

Hanger, non-insulated, bolt-on for coaxial cable  
HCA300, made of stainless steel, kit of 10

**FEATURES / BENEFITS**

Stainless steel hangers for supporting coaxial cable to tower. Recommended spacing 1m (3 feet). Hanger may be attached to angle adapters, tower standoffs, member mounting holes with up to M10 or 3/8"-16 hardware or to round member adapters through slot



Clamp for 1-5/8" shown as a sample

**Technical features**

**GENERAL SPECIFICATIONS**

Product Line		Coaxial Cable Accessories
Product Type		Hanger
Hanger Type		Bolt-On, non-insulated
Transmission Line Type		HCA300
Cable Type		Air Dielectric

**MECHANICAL SPECIFICATIONS**

Cable Size		3
Number of Cable / Waveguide Runs		1
Material		Stainless Steel
Recommended / Maximum Clamp Spacing	m (ft)	0.8 / 1.2 (2.75 / 4)

**TEMPERATURE SPECIFICATIONS**

Operation Temperature	°C (°F)	-50 to 85 (-58 to 185 )
Storage Temperature	°C (°F)	-50 to 85 (-58 to 185 )

**PACKAGING INFORMATION**

Package Quantity		10
------------------	--	----

External Document Links

**Notes**

If using the Bolt-on hanger series in vertical runs, the hoisting grips need to be kept on the tower.